

**DISTRICT SCHOOL BOARD MONROE COUNTY
CUMULATIVE TABULATION SHEET**

BID/QUOTE NO. ITB 2023007 Painting Services Districtwide

BIDS DUE / BID OPENING: May 18, 2023, 1:00 pm

SECURING BIDS/QUOTES: Taylor Gandolfo, Buyer

Vendor Name:	Weighted Total (not reflective of actual dollar amount to be spent)	Ranking Order	Comments
Quick Painting Group	Lower Keys - \$238.30 Middle Keys - \$293.85 Upper Keys - \$245.35	1	

Signature of Purchasing Representative: _____

*I hereby acknowledge that the above Tabulation Sheet is submitted in accordance with MCSD Policy 6320.

LOWER KEYS

Exterior Surfaces to be painted/stained:	UNIT	PRICE	WEIGHTED FACTOR	WEIGHTED TOTAL
Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat	LF	0.05	5	0.25
Wood trim to 12 inches per foot per coat	LF	0.05	5	0.25
Wood Surfaces per coat	SF	0.05	10	0.5
Masonry walls per coat under 20' (Texcote Coolwall)	SF	1.5	10	15
Masonry walls per coat 20' to 40' (Texcote Coolwall)	SF	1.5	10	15
Masonry walls per coat over 40' (Texcote Coolwall)	SF	0.07	10	0.7
Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)	SF	0.1	10	1
Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)	SF	0.1	10	1
Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)	SF	0.1	10	1
Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)	SF	2	20	40
Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)	SF	2	20	40
Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)	SF	0.03	20	0.6
Metals to be primed as needed with Benjamin Moore or PPG products	SF	0.05	5	0.25
Metals to receive finish per coat with PPG or Benjamin Moore products per coat	SF	0.05	5	0.25
Concrete walls per coat 8 feet and under with approved stain product	SF	0.5	10	5
Interior Drywall surfaces to be painted:	UNIT	PRICE		
Prime coat or sealer per coat PPG or Benjamin Moore	SF	1	20	20
Finish coat per coat PPG or Benjamin Moore	SF	1	20	20
Interior and exterior metals:	UNIT	PRICE		
Prime coat if needed per coat PPG or Benjamin Moore	SF	4	5	20
Finish coat per coat PPG or Benjamin Moore	SF	4	5	20
Interior Masonry:	UNIT	PRICE		
Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price	SF	0.1	10	1
Sandblasting or alternate method of paint removal to bare masonry/concrete surface:	UNIT	PRICE		
6 feet and under in height	SF	1	10	10
6 feet to 20 feet in height	SF	0.05	10	0.5
20 feet to 40 feet	SF	0.05	10	0.5
Over 40 feet in height	SF	0.05	10	0.5
Joint repairs:	UNIT	PRICE		
As recommended by paint manufacturer for their product	LF	0.5	10	5
Caulking:	UNIT	PRICE		
Including existing removal with polyurethane caulk equal to Sonneborn	LF	1	20	20
Weighted Grand Total:				238.3

MIDDLE KEYS

Exterior Surfaces to be painted/stained:	UNIT	PRICE	WEIGHTED FACTOR	WEIGHTED TOTAL
Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat	LF	2.5	5	12.5
Wood trim to 12 inches per foot per coat	LF	0.05	5	0.25
Wood Surfaces per coat	SF	0.05	10	0.5
Masonry walls per coat under 20' (Texcote Coolwall)	SF	1.25	10	12.5
Masonry walls per coat 20' to 40' (Texcote Coolwall)	SF	1.5	10	15
Masonry walls per coat over 40' (Texcote Coolwall)	SF	0.05	10	0.5
Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)	SF	0.1	10	1
Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)	SF	0.1	10	1
Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)	SF	0.1	10	1
Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)	SF	2.5	20	50
Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)	SF	3	20	60
Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)	SF	0.03	20	0.6
Metals to be primed as needed with Benjamin Moore or PPG products	SF	0.05	5	0.25
Metals to receive finish per coat with PPG or Benjamin Moore products per coat	SF	0.05	5	0.25
Concrete walls per coat 8 feet and under with approved stain product	SF	0.1	10	1
Interior Drywall surfaces to be painted:	UNIT	PRICE		
Prime coat or sealer per coat PPG or Benjamin Moore	SF	1.25	20	25
Finish coat per coat PPG or Benjamin Moore	SF	1.25	20	25
Interior and exterior metals:	UNIT	PRICE		
Prime coat if needed per coat PPG or Benjamin Moore	SF	5	5	25
Finish coat per coat PPG or Benjamin Moore	SF	5	5	25
Interior Masonry:	UNIT	PRICE		
Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price	SF	0.1	10	1
Sandblasting or alternate method of paint removal to bare masonry/concrete surface:	UNIT	PRICE		
6 feet and under in height	SF	1	10	10
6 feet to 20 feet in height	SF	0.05	10	0.5
20 feet to 40 feet	SF	0.05	10	0.5
Over 40 feet in height	SF	0.05	10	0.5
Joint repairs:	UNIT	PRICE		
As recommended by paint manufacturer for their product	LF	0.5	10	5
Caulking:	UNIT	PRICE		
Including existing removal with polyurethane caulk equal to Sonneborn	LF	1	20	20
Weighted Grand Total:				293.85

UPPER KEYS

Exterior Surfaces to be painted/stained:	UNIT	PRICE	WEIGHTED FACTOR	WEIGHTED TOTAL
Wood trim (PPG Speed Hide or Benjamin Moore equal) to 6 inches per foot per coat	LF	1.5	5	7.5
Wood trim to 12 inches per foot per coat	LF	0.05	5	0.25
Wood Surfaces per coat	SF	0.05	10	0.5
Masonry walls per coat under 20' (Texcote Coolwall)	SF	0.5	10	5
Masonry walls per coat 20' to 40' (Texcote Coolwall)	SF	0.5	10	5
Masonry walls per coat over 40' (Texcote Coolwall)	SF	0.05	10	0.5
Masonry walls per coat under 20' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)	SF	0.1	10	1
Masonry walls per coat 20' to 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)	SF	0.1	10	1
Masonry walls per coat over 40' (PPG Perma Crete 4.2 primer & Acri Shield for finish coats)	SF	0.1	10	1
Masonry walls per coat under 20' (Benjamin Moore primer & Mooreguard finish coats)	SF	2	20	40
Masonry walls per coat 20'-40' (Benjamin Moore primer & Mooreguard finish coats)	SF	2	20	40
Masonry walls per coat over 40' (Benjamin Moore primer & Mooreguard finish coats)	SF	0.03	20	0.6
Metals to be primed as needed with Benjamin Moore or PPG products	SF	0.05	5	0.25
Metals to receive finish per coat with PPG or Benjamin Moore products per coat	SF	0.05	5	0.25
Concrete walls per coat 8 feet and under with approved stain product	SF	0.5	10	5
Interior Drywall surfaces to be painted:	UNIT	PRICE		
Prime coat or sealer per coat PPG or Benjamin Moore	SF	1.25	20	25
Finish coat per coat PPG or Benjamin Moore	SF	1.25	20	25
Interior and exterior metals:	UNIT	PRICE		
Prime coat if needed per coat PPG or Benjamin Moore	SF	5	5	25
Finish coat per coat PPG or Benjamin Moore	SF	5	5	25
Interior Masonry:	UNIT	PRICE		
Equal to PPG speed hide zero 6-4119 (primer equal to PPG Perma Crete 4.503 if needed) per coat price	SF	0.1	10	1
Sandblasting or alternate method of paint removal to bare masonry/concrete surface:	UNIT	PRICE		
6 feet and under in height	SF	1	10	10
6 feet to 20 feet in height	SF	0.05	10	0.5
20 feet to 40 feet	SF	0.05	10	0.5
Over 40 feet in height	SF	0.05	10	0.5
Joint repairs:	UNIT	PRICE		
As recommended by paint manufacturer for their product	LF	0.5	10	5
Caulking:	UNIT	PRICE		
Including existing removal with polyurethane caulk equal to Sonneborn	LF	1	20	20
Weighted Grand Total:				245.35