


THERESA AXFORD
Superintendent of Schools



Members of the Board

District # 1
BOBBY HIGHSMITH

District # 2
ANDY GRIFFITHS
Vice-Chairman

District # 3
MINDY CONN

District #4
JOHN DICK
Chairman

District # 5
DR. SUE WOLTANSKI

Bid No: ITB 2022013

Name of Bid: Cosmetology Alterations at Coral Shores High School

Post Date: 5/9/2022

Notice Post Time: 4:15 PM

Addendum No.1

Add the following to section III. 5. I:

iii. Add shelving similar in style to that shown in the photo of Appendix B including wall mounted support board and solid support brackets. Shelving is to be added in the locations shown in Appendix C. At each location the shelving shall be installed in two levels. The top level shall be 14" wide and shall be installed at 35" above finished floor. The second level shall be 12" wide and shall be installed ~12.5" below the top shelf. Exact locations shall be confirmed with District project manager prior to installation. Shelving shall not interfere with access to outlets. Shelving shall be laminated wood with a scratch resistance surface. Minimum shelf thickness shall be 5/8". Color shall be selected from manufacturer's standard colors by the District. Support board and brackets shall be painted black or match the wall color as selected by the District. The back support board shall be the same width as the shelf minus 2". It shall be screwed into each stud with two screws. Support brackets shall be no more than 5' apart. A box style construction would also be acceptable. Box units to be 5' wide with 14" tops and 12" bottoms. Clearance between the shelves to be greater than 12.5".

New Documents Added:

ITB 2022013 CSHS Cosmetology Alterations 2022 – Appendix B

ITB 2022013 CSHS Cosmetology Alterations 2022 – Appendix C